EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	[display panel flat image receiv$4 (container or hous$4 or frame) driving (part or circuit) disposed on second first ground member embossed pattern protru$4 surface between electrically connect].clm.	US-PGPUB	AND	ON	2006/11/08 19:49
L2	49	(US-6587166-$ or US-6894757-$ or US-6473146-$ or US-6665025-$ or US-6229695-$ or US-6175396-$ or US-6891582-$ or US-6504586-$ or US-5988827-$ or US-6917395-$ or US-6661181-$ or US-5975711-$ or US-6779902-$ or US-6917397-$ or US-5430617-$ or US-5863106-$ or US-6667888-$ or US-6242923-$ or US-6166788-$ or US-5844773-$ or US-6023310-$ or US-6078369-$ or US-6419636-$ or US-6692275-$ or US-4408103-$ or US-5998919-$). did. or (US-6059628-$ or US-5750900-$ or US-6276965-$ or US-6840817-$ or US-6010111-$ or US-5189539-$ or US-5761297-$ or US-6043855-$ or US-6833888-$ or US-5949642-$ or US-6335542-$ or US-6600526-$ or US-5969776-$ or US-5621611-$ or US-5548565-$ or US-5631673-$ or US-6014152-$ or US-5793988-$ or US-6700479-$ or US-5857118-$ or US-6104444-$ or US-6411522-$ or US-5838412-$). did.	USPAT	OR	OFF	2006/11/08 19:50
L3	3	L2 and (ground same protrud$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:55
L4	1325	349/58, "59".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:54
L5	3260	361/681	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:54

L6	3	4 and 5 and (ground same protrud$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:58
L7	7952	(electromagnetic adj radiation) same (block$4 or shield$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:58
L8	20601	(ground same protrud$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:58
L9	76	7 and 8 and @ad<="20030602"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/08 19:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	[display panel flat image receiv$4 (container or hous$4 or frame) driving (part or circuit) disposed on second first ground member embossed pattern protru$4 surface between electrically connect].clm.	US-PGPUB	AND	ON	2006/11/08 19:49